
Bayes Networks Winter 2018/2019

Prof. Dr. R. Kruse / Alexander Dockhorn / Alishiba Dsouza

## Exercise Sheet 8

## Exercise 25 Clique Tree Propagation I

Recall the example network from the lecture:



$$P(e_1 \mid c_1) = 0.8$$
  $P(e_1 \mid c_2) = 0.6$   $P(d_1 \mid b_1, c_1) = 0.8$   $P(d_1 \mid b_1, c_2) = 0.8$   $P(d_1 \mid b_2, c_1) = 0.8$   $P(d_1 \mid b_2, c_2) = 0.05$   $P(b_1 \mid a_1) = 0.8$   $P(b_1 \mid a_2) = 0.2$   $P(c_1 \mid a_1) = 0.2$   $P(c_1 \mid a_2) = 0.05$   $P(a_1) = 0.2$ 

Determine the a-priori distribution for all five variables!

You may use the HUGIN tool to check your calculations, before using them to address the next assignment.

## Exercise 26 Clique Tree Propagation II

It becomes evident that the patient has severe headache ( $E = e_1$ ). Propagate this evidence across the network with the clique tree propagation algorithm presented in the lecture, i.e., compute all five a-posteriori distributions!

## Exercise 27 Clique Tree Propagation III

In addition to b), we now learn that the patient has no increased serum calcium  $(B = b_2)$ . Again, propagate this additional evidence!